



T 240










TÜV NORD
Zertifizierung
Baumuster geprüft




B < 5000mm









B > 5000mm










B < 5000mm







B > 5000mm





T 240
A
>5000 mm
4x
6,3x35mm
3Nm
4x
6,3x15mm
3Nm
B
>5000 mm
10x
6,3x35mm
3Nm
2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
A
2x
6,3x25mm
3Nm
A
2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
B
2x
6,3x25mm
3Nm
A
B
10x
6,3x35mm
3Nm
10x
6,3x35mm
3Nm
240-00-02a







2x
6,3x35mm
3Nm


2x
6,3x15mm
3Nm










240-00-02b




B < 5000mm










B > 5000mm







B < 5000mm










B > 5000mm










B < 5000mm






B > 5000mm







T 240


B < 5000mm







B > 5000mm







B < 5000mm







B > 5000mm







T 240








240-01-01



T 240





L+R
L+R



T 240






6
5
1
2
3
4
48 +0,5 0
3



5
4
1
2
L+R
3
T-240

T 240













T 240


240-03-02

















240-03-01













L+R





T 240














240-04-01


T 240




T 240











240-04-03
















240-05-01a


T 240






1
2
3
1



2
min. 5 mm
5
4



3


T 240











T 240
B
A
A
C
B
A
4
3
2
C
6
2x
6,3x25mm
3Nm
B
1
2x
6,3x35mm
3Nm
5
L+R
7
240-05-02a



T 240






A
A
B
C
1
2
3
A
A
B



!
!
3
2
1


T 240















240-05-03


T 240
















240-05-04


















240-05-05

T 240












240-05-06a


T 240








240-05-06b


T 240





L
R







L+R




L




R







L




L+R




R




L+R








240-06-02


T 240









T 240



L
R



Z x 360°
Z - - - - 2 1
1 2 - - - - Z
4
4



1



Zx



L+R
4
Z x 360°
3



L+R
2
Z x 360°
7
90°
25Nm
6
5



9
8


10
10











L+R





L+R





240-08-01


T 240


















240-09-01


T 240















240/340-10-01a



T 240





2
2x
1
3


Motor

T 240








© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.

MH240_100502-4a


T 400










TÜV NORD
Zertifizierung
Baumuster geprüft




B < 5000mm










B > 5000mm










B < 5000mm










B > 5000mm



T 400
A
>5000 mm
4x
6,3x35mm
3Nm
4x
6,3x15mm
3Nm
B
>5000 mm
10x
6,3x35mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x25mm
3Nm
2x
6,3x15mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x25mm
3Nm
2x
6,3x15mm
3Nm
B
A
A
B
10x
6,3x35mm
3Nm
10x
6,3x35mm
3Nm
400-00-02A



T 400





1
2
3
4
5
45
222



2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
A
A
A
B
=
=



A
1
2
Ø 3
max.
25mm
(2x)
6,3x25mm 3Nm (2x)
1
6,3x15mm 3Nm (2x)



B
1
2
Ø 3
max.
25mm
(4x)
6,3x25mm 3Nm (2x)
1
1
6,3x15mm 3Nm (2x)




B < 5000mm










B > 5000mm






B < 5000mm










B > 5000mm






B < 5000mm









B > 5000mm


T 400


B < 5000mm






B > 5000mm







T 400


B < 5000mm








B > 5000mm


















400-01-01A



T 400



>15 m²



>15 m²



Informationen zur Kontrolle des Torpakets und zur Tormontage
Informatie voor controle deurpakket en deurmontage
Informations pour controle colis et montage de la porte
Information for checking the door package and for door fitment
1
2
3
4
L+R
Z x 360°



L+R
80 mm
160 mm
B
400 mm
H_L
H
A - A
A - A
B



H_L
H


400-01-01B


T 400









T 400






6
5
1
2
4
48 +0,5 0
3


5
4
1
2
L+R
3
!
!













L+R





L+R
























400-03-01


T 400













400-03-02


T 400




L+R




L+R





L+R





400-04-01

















L+R











400-04-02


T 400












T 400



C
B
C
A









L+R
1
3
4
2
1
7
6
5
L+R
8





L+R
1
2
3
1
6
5
4
L+R
7









1




2





3





T 400































400-05-02


T 400








400-05-02B


T 400


















400-05-03


T 400



















400-05-04



T 400






A
B
C
B
A



2
4
3



C
6
2x
6,3x25mm
3Nm


B
1
2x
6,3x35mm
3Nm
5



L+R
7



T 400






L
R


T 400

















400-06-02


T 400







T 400
























400-07-02











L+R





L+R




400-08-01


T 400








$H\text{-}H_L \leq 3000mm$





$H\text{-}H_L > 3000mm$
$H\text{-}H_L \leq 5000mm$





$H\text{-}H_L > 5000mm$


400-09-01
















400-10-01



T 400








Motor




T 400





WARNING
AVERTISSEMENT
WARNING


© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.

MH400_100502-4a

T 400 DS










TÜV NORD
Zertifizierung
Baumuster geprüft


ALP01104










B < 5000mm









B > 5000mm







130502_09-003

B < 5000mm







B > 5000mm




B < 5000mm







B > 5000mm




B < 5000mm







B > 5000mm




B < 5000mm







B > 5000mm




130502_09-007


B < 5000mm






B > 5000mm










130502_09-008


B < 5000mm






B > 5000mm







130502_09-009


≤15 m²










130502_09-010




130502_09-011






5
4
5
1
2
3
6








L+R






9





10
8
9



10



10








130502_09-012-4



L+R
L+R
130502_09-012-5











L+R










L+R














L+R






L
RED
R
BLACK
L
BLUE
R
RED
130502_09-016-1











L+R
1



L+R
2










L+R





L+R






L+R
L+R
L+R
L+R
130502_09-017



















130502_09-018-1






















130502_09-018-2



1



L
R
2
3
4









8



9


10














130502_09-020



A
1
B
A
B
1
A
3
2
B
4
2x
5
6,3x35mm
3Nm
L+R
6
130502_09-021
















130502_09-022



A
B
1
2
3
4
5
6
2x
6,3x35mm
3Nm
L+R
130502_09-023



















130502_09-024
















130502_09-025






A



A
2x
6,3x25mm
3Nm






























130502_09-027-1












L+R





L+R








130502_09-027-2






L+R



L+R






L
1
2
2



L+R
5
2
6



R
1
2



L
3
4



L+R



R
3
4











L+R



L+R











130502_09-029



















130502_09-030



1
6,25 mm
9,25 mm
2
3
4
5
5
130502_09-031









1



L+R
1



L+R
2



















130502_09-033








R
2
1


WARNING
AVERTISSEMENT
WARNUNG









MHT400DS_130904-01a

© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.

T 400 hF










TÜV NORD
Zertifizierung
Baumuster geprüft


T 400hF







B < 5000mm









B > 5000mm







T 400hF


B < 5000mm







B > 5000mm






T 400hF
A
>5000 mm
4x
6,3x35mm
3Nm
4x
6,3x15mm
3Nm
B
>5000 mm
10x
6,3x35mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
A
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
B
A
A
B
10x
6,3x35mm
3Nm
10x
6,3x35mm
3Nm
400hF-00-02A


T 400hF


1
4
3
2



2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
A
A
A
B
=
=



A
2
6,3x25mm 3Nm (2x)
1
6,3x15mm 3Nm (2x)



B
1
2
Ø 4.2
max.
30mm
(4x)
6,3x25mm 3Nm (2x)
1
1
6,3x15mm 3Nm (2x)




B < 5000mm










B > 5000mm






B < 5000mm









B > 5000mm




T 400hF

B < 5000mm







B > 5000mm




T 400hF

B < 5000mm







B > 5000mm



A





B




T 400hF


B < 5000mm







B > 5000mm







T 400hF

≤15 m²





≤15 m²



L+R
80 mm
B
200 mm
H_L
130 mm
80 mm
DH + 260 mm
DH + 560 mm
A - A
A - A
H
B


H_L
H

400hF-01-01A



T 400hF


>15 m²






Informationen zur Kontrolle des Torpakets und zur Tormontage
Informatie voor controle deurpakket en deurmontage
Informations pour controle colis et montage de la porte
Information for checking the door package and for door fitment


>15 m²



130 mm
80 mm
DH + 560 mm
DH + 260 mm
B
200 mm
H_L
A - A
H
B


T 400hF








T 400hF





6
5
1
2


5
4
1
2


T 400hF




L+R




L+R







L+R



L+R




T 400hF





400hF-03-03B


T 400hF





T 400hF




















400hF-03-04B

T 400hF







L+R




L+R




L+R





L+R





T 400hF









L+R
1
2
3
4
1
5
6
7
L+R
8



L+R
1
2
3
1
5
6
7
L+R
7


T 400hF






1
2
3
1



2
min. 5 mm
5
4



3


T 400hF













400hF-06-01A


T 400hF








400hF-06-01B


T 400hF


















400hF-06-02A


T 400hF



















T 400hF














400hF-06-03

T 400hF




T 400hF







L+R




L




R




L+R



L




R





400hF-07-01B


T 400hF





T 400hF























400hF-07-02B


T 400hF










L+R





L+R






T 400hF





2
1
1



2





Motor

T 400hF








T 400hF


© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.

MH400hF_110202-10a


T 450










TÜV NORD
Zertifizierung
Baumuster geprüft




B < 5000mm










B > 5000mm










B < 5000mm











B > 5000mm



T 450
A
>5000 mm
4x
6,3x35mm
3Nm
4x
6,3x15mm
3Nm
B
>5000 mm
10x
6,3x35mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
A
B
A
B
10x
6,3x35mm
3Nm
10x
6,3x35mm
3Nm
pan-00-02A



T 450


1
2
3
4
5
45
222



2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
A
A
A
B



A
1
2
Ø 3
max.
25mm
(2x)
6,3x25mm 3Nm (2x)
1
6,3x15mm 3Nm (2x)



B
1
2
Ø 3
max.
25mm
(4x)
6,3x25mm 3Nm (2x)
1
1
6,3x15mm 3Nm (2x)




B < 5000mm










B > 5000mm






B < 5000mm










B > 5000mm






B < 5000mm









B > 5000mm


T 450

B < 5000mm







B > 5000mm



A





B




T 450


B < 5000mm






B > 5000mm











H		C
H < 5500 mm	ø 95,4 mm	430 mm
H < 5500 mm	ø 152,4 mm	460 mm
H > 5500 mm	-	500 mm


450-01-01A















H		C
H < 5500 mm	ø 95,4 mm	430 mm
H < 5500 mm	ø 152,4 mm	460 mm
H > 5500 mm	-	500 mm


T 450








T 450





6
5
1
2
4
48 +0,5 0
3



5
4
1
2
L+R
3


T 450







L+R







T 450
L
R
R
L
450-03-01


T 450





≤18 m²



>18 m²










450-03-02

T 450









450-04-01


T 450




L+R




L+R




L+R




L+R





L+R







450-04-02








L+R






T 450






L+R
450-05+01b
1
2
3
4
5
6
7
8
L+R






L+R
450-05+01b
1
2
3
4
5
6
7
L+R


T 450






1
2
3
1



2
min. 5 mm
5
4


3


T 450











T 450














T 450








T 450





T 450















450-05-04


T 450

















T 450






L
R


T 450

















T 450






R
L


T 450























T 450







L+R




L+R




T 450






≤ 3000 mm





> 3000 mm und ≤ 5000 mm





> 5000 mm


450-09-01



T 450












+10 mm





T 450







Motor

T 450








MH450_100502-4a

© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.


T 500










TÜV NORD
Zertifizierung
Baumuster geprüft



T 500







B < 5000mm










B > 5000mm










B < 5000mm








B > 5000mm






T 500
A
>5000 mm
4x
6,3x35mm
3Nm
4x
6,3x15mm
3Nm
B
>5000 mm
10x
6,3x35mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
A
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
B
A
A
B
10x
6,3x35mm
3Nm
10x
6,3x35mm
3Nm
500-00-02A



T 500


1
2
3
4
5
45
222



2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
A
A
A
B



A
1
2
Ø 3
max.
25mm
(2x)
6,3x25mm 3Nm (2x)
1
6,3x15mm 3Nm (2x)



B
1
2
Ø 3
max.
25mm
(4x)
6,3x25mm 3Nm (2x)
1
1
6,3x15mm 3Nm (2x)




B < 5000mm










B > 5000mm






B < 5000mm










B > 5000mm






B < 5000mm









B > 5000mm


T 500


B < 5000mm






B > 5000mm










T 500


B < 5000mm








B > 5000mm








T 500





Informationen zur Kontrolle des Torpakets und zur Tormontage
Informatie voor controle deurpakket en deurmontage
Informations pour controle colis et montage de la porte
Information for checking the door package and for door fitment
1
2
3
4
2 x 360°






1


70 mm
80 mm
160 mm



B
H + 650 mm
A - A
A - A
H
B

500-01-01A



T 500




L+R
1
2
1



L+R
2
3


T 500







$48^{+0,5}_{0}$






L+R








500-02-02


T 500
















500-02-03



T 500









L



R



R



L



T 500






1
6



1
4
4
2
3
1



>12 m²
250 mm



5
4
5
5
2
5
2
6
6
3
3



5
6
7
2
3
7



T 500









T 500



L+R
1
3
4
2
1
7
6
5
L+R
8



L+R
1
2
3
1
7
6
5
L+R
7


T 500






1
2
3
1



2
min. 5 mm
5
4



3


T 500


















500-04-02A



T 500



A
A
B
C
2
1
A
A
B
3



!
!
3
2
1


T 500


















500-04-03


T 500















500-04-04


T 500


















500-04-05


T 500


























500/500hF-05-01A


T 500





T 500
























500/500hF-06-01B













L+R





L+R





T 500







Motor

T 500







© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.

MH500_100502-4a

T 500 DS









TÜV NORD Zertifizierung
Baumuster geprüft


ALP01108





ALP01110



T 500 hF

B < 5000mm



B



2x
6,3x35mm
3Nm
2x
6,3x15mm
3Nm
10x
6,3x35mm
3Nm
2x
6,3x25mm
3Nm



10x
6,3x35mm
3Nm




B < 5000mm










B < 5000mm












B < 5000mm












B < 5000mm








T 500 hF

B < 5000mm












T 500 hF


B < 5000mm









T 500 hF








500hF-01-01B





ALP01111






1
4
2
4
2
3
L+R



3



L+R
4


















ALPALP01112-2




ALP01112-3



L+R
L+R
ALP01112-4



L+R
1
R
2
ALP01113



L
RED
R
BLACK
L
BLUE
R
RED
ALP01114-1





ALP01114-2



















ALP01115-1

























ALP01115-2
















ALP01116
















ALP01117


















ALP01118











ALP01119































ALP01120-01

































ALP01120-2



L
R
1
2
3
Z x 360°



L
4
Z x 360°
3
L
Z - - - - 2 1
5
R
4
Z x 360°
3
R
1 2 - - - - Z
5



L+R
6
25Nm
90°
7
25Nm
5
9
8
10


ALP01121



L+R
L+R
>16 mm
ALP01122






9,25 mm






2



3



4



5



WARNING
AVERTISSEMENT
WARNUNG












1
L
R
3
4
5
ALP01125












ALP01126

© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.


T 500 hF










TÜV NORD
Zertifizierung
Baumuster geprüft



T 500 hF







B < 5000mm










B > 5000mm










B < 5000mm







B > 5000mm






T 500 hF
A
>5000 mm
4x
6,3x35mm
3Nm
4x
6,3x15mm
3Nm
B
>5000 mm
10x
6,3x35mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
2x
6,3x35mm
3Nm
A
2x
6,3x15mm
3Nm
2x
6,3x25mm
3Nm
B
A
A
B
10x
6,3x35mm
3Nm
10x
6,3x35mm
3Nm
500hF-00-02A

T 500 hF













500hF-00-02B




B < 5000mm










B > 5000mm






B < 5000mm










B > 5000mm






B < 5000mm







B > 5000mm




T 500 hF

B < 5000mm







B > 5000mm



A





B







B < 5000mm








B > 5000mm















500hF-01-01B


T 500 hF
















T 500 hF


























500hF-03-02

L+R




L+R







L+R




L+R




T 500 hF





500hF-03-03B



R
L
L
R
1
11
2
6
3
5
4
7
8
9
10


T 500 hF






















500hF-03-04B



T 500 hF









T 500 hF



L+R
1
3
4
2
1
7
6
5
L+R
8



L+R
1
2
3
1
7
6
5
L+R
7


T 500 hF






1
2
3
1



2
min. 5 mm
5
4



3


T 500 hF
















500hF-04-02A


T 500 hF








500hF-04-02B


T 500 hF


















500hF-04-03


T 500 hF


















500hF-04-04


T 500 hF


















500hF-04-05





T 500 hF



























T 500 hF





T 500 hF



Z x 360
Z - - - - 2 1
1 2 - - - - Z
4
4



L
R



L+R
1
4
Z x 360
3



2
Z x 360



L+R
7
90
25Nm
6
5



9
8


10
10













L+R





L+R





T 500 hF





2
1
2


Motor

T 500 Hf





© Copyright Alpha deuren International b.v.
This manual was prepared and issued by Alpha deuren International B.V. Netherlands. It is supplied to approved agents of Alpha deuren International B.V. All rights are reserved. The information in this document is the property of Alpha deuren International B.V., the Netherlands. Disclosure of this information or any part of it to third parties is prohibited, except with prior and express written permission of Alpha deuren International B.V., the Netherlands.

MH500hF_101102-4a